

1296 RD

Année 1997

\$1.00

# OWNER'S GUIDE

ILLUSTRATED PARTS • PARTS LISTS

## FOUR WHEEL STEER LAWN TRACTORS

Model Series  
750 thru 759  
Lawn Tractors




Made  
in  
AMERICA

**WARNING:** This unit is equipped with an internal combustion engine and should not be used on or near any unimproved forest-covered, brush-covered or grass-covered land unless the engine's exhaust system is equipped with a spark arrester meeting applicable local or state laws (if any). If a spark arrester is used, it should be maintained in effective working order by the operator.

In the State of California the above is required by law (Section 4442 of the California Public Resources Code). Other states may have similar laws. Federal laws apply on federal lands. A spark arrester for the muffler is available through your nearest engine authorized service dealer or contact the service department, P.O. Box 360900, Cleveland, Ohio 44136.

# Models 750 thru 759



**NOTE**  
Specifications subject to change without notice or obligation.

# Models 750 thru 759


## PARTS LIST FOR MODELS 750 THRU 759 LAWN TRACTORS

REF. NO.	PART NO.	CODE	DESCRIPTION	REF. NO.	PART NO.	CODE	DESCRIPTION
1	731-0955		Steering Wheel Insert	54	618-0030	N	Steering Ass'y. Comp.
	731-0220		Steering Wheel Cap	58	736-0271		Wave Wash. .32" I.D. x .62"
2	712-0237		Hex L-Nut 5/16-24 Thd.	61	736-0607		Ext. L-Wash. 5/16" I.D.
3	736-0242		Belleville Wash. .345" I.D.	63	727-0425A		Spring Clip (Used w/Ref. 37)
4	731-0806A		Steering Wheel (4 Spoke)	64	731-1134		Plastic Tube
	731-0805		Steering Wheel (3 Spoke)	65	17778		Horizontal Cross Bracket
5	731-0954		Steering Bellow	66	17777		Vertical Mounting Bracket
6	611-0007	N	Steering Shaft Ass'y.	67	710-0412		Hex Bolt 1/4-28 x .75" Lg.
9	17198		Retainer Plate	68	712-0123		Hex Nut 5/16-24 Thd.
10	738-0141		Shoulder Bolt .437" Dia. x .35" Lg. 5/16-18 Thd.	69	710-0253		Hex Bolt 3/8-16 x 1.0" Lg.*
11	710-0152		Hex Bolt 3/8-24 x 1.0" Lg. (Grade 5)	70	736-0270		Bell-Wash. .265" I.D. x .75"
13	750-0535		Spacer .380" I.D. x .625" O.D. x .227"	71	712-0138		Hex Nut 1/4-28 Thd.*
14	736-0169		L-Wash. 3/8" I.D.*	72	710-0157		Hex Bolt 5/16-24 x .75" Lg.
15	710-0726		Hex Wash. Hd. Self-Tap Scr.	73	717-1700		Pinion Shaft
16	711-0788		Steering Drag Link	74	717-1705		Steering Shaft Splined Coupler
17	17621		Front Pivot Brkt.	75	712-0262		Hex L-Nut 3/8-24 Thd.
18	738-0527		Shoulder Bolt .498" Dia. x 2.04" Lg. 3/8-16 Thd.	76	723-0420		Rod End 3/8-24 Thd.—R.H.
19	712-0798		Hex Nut 3/8-16 Thd.*	77	723-0421		Rod End 3/8-24 Thd.—L.H.
21	712-0237		Hex Cent. L-Nut 5/16-24 Thd.	78	710-0459		Hex Bolt 3/8-24 x 1.5" Lg. (Gr. 5)
22	16481		Steering Arm Front Axle	79	750-0535		Spacer .38" I.D. x .625"
23	710-0772		Hex Bolt 5/16-24 x 2.00" Lg. (Grade 5)	80	750-0809		Shld. Spacer .51" I.D.
24	741-0225		Hex Flg. Brg. .634" I.D.	81	736-0105		Bell-Wash. .38" I.D. x .88"
25	14608		Pivot Bar Ass'y.	82	747-0761		Tie Rod
26	17585		Front Axle Ass'y.—L.H.	83	710-0191		Hex Bolt 3/8-24 x 1.25" Lg.*
27	712-0241		Hex Nut 3/8-24 Thd.*	84	712-0296		Hex Patch L-Nut 3/8-24 Thd.
29	723-3018		Ball Joint 3/8-24 Thd.	85	736-3027		Fl-Wash. .531" I.D. x 1.75"
30	747-0753		Tie Rod	86	736-0253		Bell-Wash. .505" I.D. x 1.0"
31	712-0711		Hex Jam Nut 3/8-24 Thd.*	87	17764		Steering Boom
32	17584		Front Axle Ass'y.—R.H.	88	738-0838		Steering Link
33	734-0863		Wheel Ass'y. Comp.**	89	710-3181		Hex Bolt 1/2-13 x 1.5" Lg. (Gr. 5)
	734-0864		Tire Only**	90	734-0255		Air Valve
34	734-0997A		Front Wheel Rim Only	91	734-1607		Rim Only
	734-0255		Air Valve	93	710-1142		Hex Bolt 1/2-20 x 1.75" Lg. (Gr. 5)
	737-0280	N	Grease Fitting	94	734-1668		Rear Wheel Ass'y. Comp.
35	741-0487		Flange Bearing		734-1596		Tire Only
36	736-0285		Fl-Wash. .635" I.D. x 1.59" O.D.	95	736-0343		Fl-Wash. .33" I.D. x 1.25"
37	734-1612		Front Hub Cap (Beige)	96	717-1298		Wheel Flange Ass'y.
	734-1503		Front Hub Cap (Gray)	97	736-0420		Fl-Wash. 1.0" x 1.56"
	734-1614		Rear Hub Cap (Beige)	98	710-0191		Hex Bolt 3/8-24 x 1.25" Lg.
	734-1504		Rear Hub Cap (Gray)	99	17646		Steering Brkt.—R.H.
38	714-0470		Cotter Pin 1/8" Dia. x 1.25" Lg.*	100	741-0558		Steering Brkt.—L.H. (Not Shown)
39	736-0187		Fl-Wash. .640" I.D. x .24" O.D.	101	736-0445		Flange Brg. 1.0" I.D.
40	715-0150		Spring Roll Pin	102	741-0547		Fl-Wash. .76" I.D. x 1.5"
43	710-0538		Hex L-Bolt 5/16-18 x .62" *	103	737-0146		Flange Brg. 3/4" I.D.
44	736-0119		L-Wash. 5/16" I.D.*	104	717-1291		Grease Fitting
45	736-0343		Fl-Wash. .33" I.D. x 1.25" O.D.	106	717-1271		Wheel Brg. Housing
46	750-0532		Spacer (Plastic)	107	717-1270		Pivot Sleeve
49	712-0267		Hex Nut 5/16-18 Thd.*	109	715-0208		U-Joint
51	717-1701		Steering Gear Segment	110	717-1285		Grooved Roll Pin 1.0" Lg.
52	741-0225		Hex Flg. Brg. .634 I.D.	111	736-0105		Axle Horn Ass'y.
				112	736-0356		Bell-Wash. .38" I.D. x .88"
				113	736-0140		Bell-Wash. .39" I.D. x 1.38"
							Fl-Wash. .385" I.D. x .62"

\*For faster service obtain standard nuts, bolts and washers locally. If these items cannot be obtained locally, order by part number and size as shown on parts list.

CODE: N notates a new part (not previously existing). A three digit number is the color code. Specify color code as shown below if color or finish is important when ordering parts. [i.e., 638 for Red Finish].

# Models 750 thru 759



**IMPORTANT:** Use only Original Equipment Manufacturer (O.E.M.) V-belts when replacing belts. They are of special construction (type of cord, cord location, length, etc.). Use of V-belts other than O.E.M. belts generally will provide only temporary service. For best results, use only factory approved parts.

**Note:** If brand of tire is important, order by part number and description (description is printed on the sidewall of tire) [i.e. Armstrong Super Turf, Goodyear Softrac, Carlisle Turf Saver, etc.].

# Models 750 thru 759

## PARTS LIST FOR MODELS 750 THRU 759 LAWN TRACTORS

REF. NO.	PART NO.	CODE	DESCRIPTION	REF. NO.	PART NO.	CODE	DESCRIPTION
1	—		Engine	68	741-0419		Flanged Bearing
4	712-0298		Hex Nut 5/16-24 Thd.*	69	714-0507		Cotter Pin 3/32" Dia.*
5	736-0119		L-Wash. 5/16" I.D.*	70	748-0234		Shoulder Spacer .27" Lg.
6	750-0777		Spacer	71	747-0530		Speed Control Link
9	—		Muffler (Refer to Style Sheet)	72	741-0405		Truss Bearing .56 Dia. x 1.25"
10	710-1007		Hex L-Wash. Tap Scr. 3/8-16 Thd.				
11	17620B	N	Lower Frame Ass'y.	73	720-0166		Ball Knob
13	712-0287		Hex Nut 1/4-20 Thd.*	74	756-0437		Idler Pulley 3.25" x .75"
14	736-0329		L-Wash. 1/4" I.D.*	75	756-0950	N	"V" Pulley
15	710-0604		Hex Wash. TT-Tap Scr. 5/16-18 x .62" Lg.	76	736-0427		Bell-Wash. .567" I.D. x 1.125"
16	17893	N	Belt Guard Brkt. Ass'y.	77	712-3035		Hex Jam Nut 9/16-18 Thd.*
17	736-0242		Bell-Wash. .345" I.D. x .88"	78	710-0539		Hex Bolt 3/8-24 x 1.75" Lg.
18	712-0267		Hex Nut 5/16-18 Thd.*	79	754-0370		Variable Speed Belt
19	710-0190		Hex Bolt 5/16-18 x 4.0"*	80	716-0114		Snap Ring .56" Dia.
20	714-0114		Sq. Key 1/4" x 1/4" x 2.00"	81	736-0355		FI-Wash. .56" I.D. x 1.0" O.D.
21	756-0488		Engine Pulley	82	717-0800		Variable Speed Pulley Ass'y. 5" O.D.
22	736-0322		FI-Wash. 7/16" I.D. x 1.25"	84	16354B		Variable Speed Brkt. Ass'y.
23	736-0171		L-Wash. 7/16" I.D.*	85	732-0525		Comp. Spring—Clip
24	710-0757		Hex Bolt 7/16-20 x 1.50" Lg.	86	17668		Axle Support Brkt.—R.H.
25	754-0280		Variable-Speed Belt		17669		Axle Support Brkt.—L.H. (Not Shown)
26	710-0118		Hex Bolt 5/16-18 x .75" Lg.				
27	17963	N	Bearing Shaft Bracket	89	17839		Speed Cont. Rod Brkt.
28	741-0295		Flanged Nyliner Brg. 5/8" I.D. x .88" Lg.	90	736-0414		Teflon Washer .565" I.D.
29	712-0241		Hex Nut 3/8-24 Thd.*	93	725-3169A	N	Safety Switch (Clutch)
30	17834		Idler Bracket	94	738-0755		Shld. Bolt 3/8-24 x 3.12" Lg.
31	736-0169		L-Wash. 3/8" I.D.*	97	736-0105		Bell-Wash. .38" I.D. x .88"
33	17766		Transaxle Support Brkt.	98	738-0837		Shaft
34	732-0556		Ext. Spring .94" O.D. x 7.58"	99	736-0331		Bell-Wash. .39" I.D. x 1.12"
35	714-0149B		Inter. Cotter Pin	100	736-0256		FI-Wash. .64" I.D. x .94"
36	750-0802		Spacer .63" I.D.	101	714-0111		Cotter Pin 3/32" Dia. x 1.0"*
37	714-0470		Cotter Pin 1/8" Dia. x 1.25" Lg.	102	710-0650		Hex Wash. Hd. Scr. 5/16-18 x .62" Lg.
39	736-0108		FL-Wash. .51" I.D. x .75"	106	710-0323		Truss Mach. Scr. 5/16-18 x .75" Lg.
40	736-0247		FI-Wash. .406" I.D. x 1.25"				
43	710-0599		Hex Wash. Hd. S-Tap Scr. 1/4-20 x .50" Lg.	107	17860	N	Pedal Bracket
44	17837		Clutch/Brake Pedal Ass'y.	108	714-0507		Cotter Pin 3/32" Dia. x .75"
45	720-0218		Shift Knob	109	711-0198		Ferrule
46	710-0351		Truss Mach. B-Tap Scr. #10 x .5" Lg.	111	710-0817		Hex Wash. Tap Scr. 5/16-18 x 1.25" Lg.
47	17827		Parking Brake Lockout Brkt. Ass'y.	112	736-0270		Bell-Wash. .265" I.D. x .75"
48	735-0196		Foot Pad	113	17832		Shift Lever Link Ass'y.
51	747-0774		Shift Lever Rod	114	725-0980		Ground Wire 7.5" Lg.
53	732-0656		Ext. Spring 3.6"	115	736-0140		FI-Wash. .385" I.D. x .62"
55	710-3056		Hex Bolt 5/16-18 x 3.25"*	116	741-0404		Needle Brgs. (2 Req'd.)
59	710-0195		Hex Bolt 1/4-28 x .62" Lg.	117	17962		Switch Plate
60	618-0034	N	Transaxle Complete	118	710-1136		Hex Bolt 1/4-20 x 3.25" Lg.
61	712-0291		Hex L-Nut 1/4-20 Thd.	119	711-0832		Ferrule
63	736-0275		FI-Wash. .34" I.D. x .68" O.D.	123	738-0155		Shld. Bolt .437" Dia. x .162"
64	710-1026		Hex Wash. TT-Tap Scr. 1/4-20 x 1.75"	124	17794		Brake Rod Ass'y.
65	732-0568		Ext. Spring 2.59" Lg.	129	736-0175		Spr. Wash. .265" I.D.
66	732-0428A		Ext. Spring .5" O.D. x 4.35"	133	736-0607		External L-Wash. 5/16" I.D.
67	16554A		Variable Speed Torque Brkt. Ass'y.	134	726-0235		Speed Clip
				135	710-0726		Hex Wash. AB-Tap Scr. 5/16" x .75" Lg.
				138	747-0768		Shift Lever Ass'y.
				139	17767		Shift Lever Support Brkt.

**PARTS LIST FOR MODELS 750 THRU 759 LAWN TRACTORS (CONTINUED)**


REF. NO.	PART NO.	CODE	DESCRIPTION	REF. NO.	PART NO.	CODE	DESCRIPTION
140	17768		Speed Selector Lever Ass'y.	146	732-0429A		Ext. Spring 3.97" Lg.
141	711-0747		Belt Guard Pin	147	750-0470		Spacer .326" I.D. x .47"
142	747-0770		Brake Lockout Rod	148	736-0167		FI-Wash. 5/8" I.D. x 1.25"
143	17840		Transaxle Mtg. Brkt.	149	717-0772A	N	Actuating Arm
144	714-0474		Cotter Pin 1/8" x 3/4" Lg.	150	736-0300		FI-Wash. .385" I.D. x .87" O.D.
145	747-0771		Speed Selector Rod	151	736-0413		Wave Wash. .38" I.D. x .75"

**CODE: N** notates a new part (not previously existing). A three digit number is the color code. Specify color code as shown below if color or finish is important when ordering parts. [i.e., 638 for Red Finish].

\*For faster service obtain standard nuts, bolts and washers locally. If these items cannot be obtained locally, order by part number and size as shown on parts list.

**Note:** If brand of tire is important, order by part number and description (description is printed on the sidewall of tire) [i.e. Armstrong Super Turf, Goodyear Softrac, Carlisle Turf Saver, etc.].


## Models 750 thru 759



**PARTS LIST FOR STEERING ASSEMBLY COMPLETE**

REF. NO.	PART NO.	CODE	DESCRIPTION
1	703-1029		Bearing Cup
2	703-1031		Seal Retainer
3	711-3149		Cam Follower
4	711-3208		Pivot Shaft
5	712-3062		Hex Jam Nut 9/16-18 Thd.
6	712-3063		Hex Crown L-Nut 5/8-18 Thd.
7	714-0474		Cotter Pin 1/8" Dia.
8	717-1048		Adjustment Plug Ass'y.
9	717-1219		Steering Arm Ass'y.
10	719-0285		Steering Gear Hsg.
11	721-0260		Oil Seal
12	723-3039		Seal
13	731-3040		Ball Retainer
14	736-3029		FI-Wash. .781" I.D. x 1.25" O.D.
15	737-3001		Grease Fitting
17	738-0820		Steering Shaft Ass'y.
18	741-3022		Ball Bearing
19	748-3008		Housing Bushing
—	737-3007		Grease #251 E.P. (4 oz. Req'd.)
—	618-0030	N	Steering Ass'y. Comp. (Incl. Ref. Nos. 1 thru 19)


# Models 750 thru 759



**PARTS LIST FOR MODELS 750 THRU 759 LAWN TRACTORS**

REF. NO.	PART NO.	CODE	DESCRIPTION	REF. NO.	PART NO.	CODE	DESCRIPTION
1	736-0159		Fl-Wash. .344" I.D. x .875"	36	726-0278	N	Insulator Boss Plate
2	710-1208	N	Hex Wash. Hd. Tap Scr. 5/16-18 x 3.25" Lg.	38	710-0118		Hex Bolt 5/16-18 x .75" Lg.*
3	738-0155		Shld. Bolt .437" Dia. x .162"	39	17830	638	Upper Frame—R.H.
4	738-0145		Shld. Bolt .50" Dia. x .84"	41	712-0798		Hex Nut 3/8-16 Thd.*
5	736-0141		Spr-Wash. .445" I.D. x .75"	42	732-0581		Extension Spring 5.31" Lg.
6	15607D		Seat Pivot Bracket	43	731-1200	N	Battery Cover
7	751-3071		Fuel Cap	44	725-0514A		12-V Battery
8	751-0553		Fuel Tank	45	17831	638	Upper Frame—L.H.
9	726-0209		Tie Strap	46	17835		Shift Cover
10	751-0535-15		Fuel Line	48	726-0279	N	Insulator Plate
11	726-0205		Hose Clamp	49	17951	N	Seat Pivot Brkt. Support—L.H.
13	712-0287		Hex Nut 1/4-20 Thd.*	50	17953	N	Hitch Plate
14	736-0329		L-Wash. 1/4" I.D.	51	712-0267		Hex Nut 5/16-18 Thd.*
16	732-0672	N	Compression Spring	52	736-0119		L-Wash. 5/16" I.D.*
21	738-0526		Running Board Rod	53	17239A		Seat Lift Brkt.
22	710-0227		Hex Wash. Hd. AB-Tap Scr. #8 x .50" Lg.	54	757-0345		Seat 8-7/8" High
23	726-0139		Speed Nut #10Z		757-0338		Seat 10-5/8" High
24	17621		Front Pivot Brkt.		757-0350		Seat 14 1/4" High
25	710-0623		Hex Tap Scr. 3/8-16 x .75"	55	17950	N	Seat Pivot Brkt. Support—R.H.
26	710-0726		Hex Wash. Hd. AB-Tap Scr. 5/16 x .75" Lg.	56	738-0296		Shld. Bolt .437" Dia. x .268"
28	710-0134		Carriage Bolt 1/4-20 x .62"*	57	725-1303		Spring Switch
29	17770		Running Board (R.H. & L.H.)	58	722-0160		Bushing
30	—		Blade Brake Ass'y. (Refer to Deck Breakdown)	59	710-0650		Hex Wash. TT-Tap Scr. 5/16-18 x 7/8" Lg.
33	710-0323		Truss Mach. Scr. 5/16-18 x .75" Lg.*	60	731-0405		Snap Bushing
34	17620B	N	Lower Frame	63	725-1439		Safety Switch (Seat)
35	736-0169		L-Wash. 3/8" I.D.*	64	732-0674	N	Battery Tray Clip
				65	17952	N	Battery Tray
				66	710-0351		Truss Mach. B-Tap Scr. #10 x .5" Lg.
				67	748-0347	N	Spring Spacer

# Models 750 thru 759



**TRANSAXLE COMPLETE  
PART NO. 618-0034**




# Models 750 thru 759

## PARTS LIST FOR MODELS 750 THRU 759 LAWN TRACTORS

REF. NO.	PART NO.	CODE	DESCRIPTION	REF. NO.	PART NO.	CODE	DESCRIPTION
1	717-0682		Puck Plate	29	717-1254		Differential Gear Ass'y.
2	761-0200	N	Brake Puck				w/Bearing
3	717-0772A	N	Actuating Arm	30	712-0200A		Hex Ins. L-Nut 1/2-20 Thd.
4	736-0371		Fl-Wash. 11/32" I.D. x 7/8" O.D.	31	717-1019		Miter Gear
5	17841		Brake Stop Brkt.	32	717-1197		Axle
6	710-0433		Hex Bolt 1/4-20 x .62" Lg. (Special)	33	750-0787		Differential Thrust Spacer
7	710-0809		Hex Tap Scr. 1/4-20 x 1.25" Lg.	34	716-0171		Retainer Ring
8	732-0863		Spring Detent	35	717-1228		Input Bearing Housing
9	712-0335		Castle Nut 5/16-24 Thd.	36	732-0614		Wire Ring
10	714-0111		Cotter Pin 3/32" Dia. x 1" Lg.	37	716-0108		Retaining Ring
11	718-0184		Brake Disc	38	717-0633		Pinion Input 14T
12	717-1102		Shifter Ass'y.	39	711-0861	N	Input Shaft
13	717-1217		Brake Puck Holder	40	721-0178		Seal 5/8" I.D.
14	716-0175		Retaining Ring	41	736-0419		Thrust Wash. .621" I.D. x 1.12"
15	717-1093		Shaft Drive	42	741-0469		Thrust Bearing
16	717-1268		Shift Collar	43	736-0349		Fl-Wash. 5/8" I.D. x 1.0" O.D.
17	710-0653		Hex Wash. Hd. Tap Scr. 1/4-20 x .38" Lg.	44	741-0335		Needle Brg. 5/8" x 1/2" Lg.
18	717-1184		Drive Pin	45	715-0209		Dowel Pin
19	717-1275		Bevel Gear Ass'y. (Incl. Ref. Nos. 17, 18, 20 and 21)	46	717-1235		R.H. Housing
20	717-1269		Spring Retaining Plate	47	741-0340		Sleeve Bearing 3/4" I.D.
21	732-0590		Drive Spring	48	741-0548		Flange Bearing .906" I.D.
22	736-0444		Fl-Wash. .915" I.D. x 1.5" O.D.	49	717-0796		Sq. Head Bolt 5/16-24 Thd.
23	736-0454		Fl-Wash. .915" I.D. x 1.37" O.D.	50	717-1234		L.H. Housing
24	710-0862A	N	Pan Hd. Scr. 1/4-20 x .5" Lg.	51	741-0124		Ball Bearing .669" I.D.
25	716-0184		Snap Ring	52	710-3006		Set Screw 5/16-18 x 3/8" Lg.
26	711-0918	N	Cross Shaft	53	736-0445		Fl-Wash. .76" I.D. x 1.5" O.D.
27	717-1020		Miter Gear 15T	54	741-0343		Brake Actuating Pin
28	717-1252		Differential Can Assembly	55	741-0862		Ball Detent
				56	732-0545		Ext. Spring 1.14" Lg.
				57	741-0552		Differential Flange Brg.
				—	618-0034	N	Transaxle Complete

www.emc-motors.com

# Models 750 thru 759




**PARTS LIST FOR MODELS 750 THRU 759 LAWN TRACTORS**

REF. NO.	PART NO.	CODE	DESCRIPTION	REF. NO.	PART NO.	CODE	DESCRIPTION
1	09735A		Connecting Rod	24	736-0160		Fl-Wash. .531" I.D. x .93" O.D.
2	17640		Pivot Link Ass'y.—L.H.	26	738-0526		Running Board Rod
3	17641		Pivot Link Ass'y.—R.H.	27	710-0351		Truss Mach. Scr. #10 x .5" Lg.
4	17710		Deck Hanger Link Ass'y.	28	14802A		Link Deck Lift Ass'y.
5	14800A		Deck Hanger Link Ass'y.	29	711-0723A		Adj. Ferrule 3/8-24 Thd.
6	14804A		Deck Hanger Link Ass'y.	30	17712		Adj. Deck Lift Link
7	748-0331		Shld. Spacer .318" I.D.	31	712-3066		Hex Nut 1/2-20 Thd. (Gr. 5)
8	736-0231		Fl-Wash. .344" I.D. x 1.125"	32	711-0841		Lift Link Adjuster
9	736-0119		L-Wash. 5/16" I.D.*	33	17825		Lift Shaft Ass'y.
10	712-0267		Hex Nut 5/16-18 Thd.*	34	725-0803C	N	Safety Switch (Deck)
12	714-0470		Cotter Pin 1/8" Dia.	35	714-0145		Inter. Cotter Pin 3/8" Dia.
13	736-0256		Fl-Wash. .635" I.D. x 1.0" O.D.	36	732-0648		Extension Spring
14	732-0412A		Deck Lift—Down Stop (Incl. Ref. 15)†	37	17636A		Stabilizer Bracket
15	08540		Knob†	38	738-0670		Shaft 1/2" Dia. x 10.28" Lg.
16	710-0604		Hex Wash. TT-Tap Scr. 5/16-18 x .75" Lg.	39	732-0638		Extension Spring
17	748-0176		Flange Brg. .63" I.D.	40	720-0233		Grip (Lift Handle)
18	710-0650		Hex Wash. TT-Tap Scr. 5/16-18 x .875" Lg.	41	17675		Deck Lift Handle Ass'y.
19	710-0118		Hex Bolt 5/16-18 x .75" Lg.	42	738-0669		Shaft 3/8" Dia. x 9.34" Lg.
20	17730		Index Brkt.	43	747-0598		Disengagement Rod
21	17830		Upper Frame—R.H.	44	17624		Stabilizer Shaft Ass'y.
23	736-0267		Fl-Wash. .385" I.D. x .87" O.D.	45	732-0556		Extension Spring 7.58" Lg.
				46	17831		Upper Frame—L.H.
				47	741-0313		Flange Brg. .632" I.D.
				48	17128		Spring Retainer Brkt.


†Optional Parts

Keep this sheet with your owner's guide for ordering replacement parts.

# Style 9



## ELECTRICAL DIAGRAM



**PARTS LIST FOR MODEL 759 LAWN TRACTOR**

REF. NO.	PART NO.	CODE	DESCRIPTION	REF. NO.	PART NO.	CODE	DESCRIPTION
1	15821		Grille Mtg. Brkt.—L.H.	43	831-0823A		Throttle Control Box Ass'y.
2	15822		Grille Mtg. Brkt.—R.H.	44	710-0919		Mach. Scr. #10 x .44" Lg.
3	710-0118		Hex Bolt 5/16-18 x .75" Lg.	45	746-0616A		Choke Control
4	710-0607		Hex Wash. Hd. Tap Scr. 5/16-18 x .5" Lg.	46	746-0501		Throttle Control Wire
7	710-0167		Carriage Bolt 1/4-20 x .5" Lg.	47	725-0267		Ignition Switch
8	710-0726		Hex Wash. Hd. Tap Scr. 5/16 x .75" Lg.	48	725-0201		Ignition Key
9	17633	N	Support Bracket	49	731-1054		Hood
10	17300D	N	Dash Support Bracket	50	17199		Cooling Fan
11	17326A	N	Rear Fender	52	16811		Muffler Heat Shield—R.H.
12	730-3000		Reflector (Optional)	53	710-0323		Truss Mach. Scr. 5/16-18 x .75" Lg.
14	17308		Side Panel—R.H.	54	725-0980		Ground Wire
	17309		Side Panel—L.H.	55	16813		Heat Shield Bracket
15	710-0286		Truss Mach. Scr. 1/4-20 x .5" Lg.	56	736-0175		Spr. Wash. 1/4" I.D.
16	710-0166		Truss Mach. Scr. 1/4-20 x 1.0" Lg.	57	710-0252		Hex Bolt 1/4-20 x .85" Lg.*
17	710-1026		Hex Wash. TT-Tap Scr. 1/4-20 x 1.75" Lg.	58	710-0294		Hex Bolt 1/4-20 x 3/8" Lg.*
18	750-0768		Spacer .26" I.D. x 1.32"	59	16812		Muffler Heat Shield—Front
19	710-0642		Hex Rolling Tap Scr. 1/4-20 x .75" Lg.	60	710-0224		Hex AB-Tap Scr. #10 x .5" Lg.
21	731-0511-12		Trim Strip—12" Lg.	61	738-0636		Shoulder Bolt
22	736-0329		L-Wash. 1/4" I.D.*	62	750-0709		Spacer
23	712-0287		Hex Nut 1/4-20 Thd.*	63	721-0208		Exhaust Gasket
24	726-0201		Speed Nut 5/16" Thd.	64	16801		Muffler Heat Shield—L.H.
25	712-0267		Hex Nut 5/16-18 Thd.*	65	712-0147		Speed Nut #10-24 Thd.
26	736-0119		L-Wash. 5/16" I.D.*	69	751-0465		Muffler
27	17410		Grille Ass'y.		751-0464		Muffler (Low Noise)
28	731-1044		Headlight Lens	70	736-0270		Bell-Wash. .265" I.D. x .75"
29	731-0705		Headlamp Housing	71	749-0814		Grille Support Tube
30	725-0963		Headlamp	72	726-0152		Mounting Clamp
31	725-1058A		Twist Lock Lamp Socket	73	736-0607		External L-Wash. 5/16" I.D.
32	736-0242		Bell-Wash. .345" I.D. x .88"	75	726-0233		Retaining Nut
33	712-0429		Hex L-Nut 5/16-18 Thd.	76	17782		Choke Retainer
34	735-0126		Rubber Washer	77	731-1147		Forward/Reverse Index Brkt.
35	17273		Hood Hinge	78	731-1069		7-Speed Index Brkt.
36	710-0599		Hex Wash. Hd. B-Tap Scr. 1/4-20 x .5" Lg.	79	726-0222		Insulator Nut Plate
37	750-0218		Spacer .262" I.D. x .31"	80	725-0759		Reverse Safety Switch
38	710-0111		Carriage Bolt 1/4-20 x 1.25" Lg.	81	710-0227		Hex Wash. Hd. AB-Tap Scr. #8 x .5" Lg.
39	16903		Hood Plate	82	710-0924		Truss Mach. Scr. 1/4-20 x .75" Lg.
40	710-1034		Double Ended Stud 1/4-20 Thd.	83	731-0909		Rubber Foot Pad—L.H. (Optional)
41	731-1048	N	Dash		731-0910		Rubber Foot Pad—R.H. (Optional)
42	725-0925		Ammeter				

**PARTS LIST FOR ELECTRICAL DIAGRAM**

REF. NO.	PART NO.	CODE	DESCRIPTION	REF. NO.	PART NO.	CODE	DESCRIPTION
1	725-0514A		Battery	10	725-0197		Cable Tie
2	725-1426	N	Solenoid	11	725-0803C	N	Safety Switch (Deck)
3	725-1625		Fuse 7.5 Amp	12	725-0759		Safety Switch (Reverse)
4	725-0634		Light Switch	13	725-1058A		Twist Lock—Bulb Socket
5	725-0925		Ammeter	14	725-0963		Bulb
6	725-0267		Ignition Switch	15	725-1303		Safety Switch (Seat)
7	725-3169A	N	Safety Switch (Clutch)	16	725-1439		Safety Switch (Seat)
8	725-1081		Electric Wire—30" Lg.	21	725-0980		Ground Wire 7.5" Lg.
9	629-0025	N	Wire Harness	22	725-1399		Extension Wire

**REPLACEMENT PARTS • P.O. BOX 360900 • CLEVELAND, OHIO 44136**