

ILLUSTRATED PARTS LIST


MODEL NUMBER M53-190F

PRODUCT NUMBER 961 41 02-79

MFG. ID. NUMBER 96141027901

www.emc-motoculture.com


McCULLOCH ROTARY LAWN MOWER - MODEL NO. M53-190F (96141027901) PRODUCT NO. 961 41 02-79



McCULLOCH ROTARY LAWN MOWER - MODEL NO. M53-190F (96141027901) PRODUCT NO. 961 41 02-79

KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	580 63 87-02	Upper Handle	37	817 06 04-10	Screw 1/4-20 x 5/8
2	532 43 45-14	Lower Handle	38	532 40 16-29	Spacer
3	580 84 91-04	Control Bar, Molded	39	532 15 53-77	Nut, Hex, Flanged 5/16-18
4	532 42 40-33	Engine Zone Control Cable	40	532 43 50-59	Belt Keeper
5	532 19 15-74	Handle Bolt	44	532 40 92-65	Kit, Lawn Mower Housing
6	532 19 19-38	Handle Knob			(Includes Key Numbers 10, 11, 12 and 45)
7	532 05 17-93	Hairpin Cotter	45	532 18 21-66	Danger Decal
9	532 40 69-85	Rear Door	46	532 43 22-79	Blade Adapter / Pulley
10	532 12 84-15	Pop Rivet	47	532 19 93-77	Blade, 21"
11	532 41 05-40	Support Bracket, LH	48	532 85 10-74	Hardened Washer
12	532 41 05-42	Support Bracket, RH	49	532 85 02-63	Helical Washer 3/8-24 x 1-3/8 Grade 8
13	817 06 04-10	Screw 1/4-20 x 5/8	50	532 85 10-84	Hex Head Machine Screw 3/8-24 x 1-3/8 Grade 8
14	532 43 45-63	Handle Bracket Assembly, LH	57	532 43 00-34	Upstop Bracket
15	532 43 45-62	Handle Bracket Assembly, RH	58	532 17 88-48	Screw, Hex Washer Head #10-16 x 5/8
16	532 40 54-17	Spring, Rear Door, LH	59	532 17 50-71	Discharge Deflector
17	532 40 54-18	Spring, Rear Door, RH	60	532 17 57-35	Hinge Bracket
18	532 13 20-04	Nut, Hex	61	532 19 30-00	Hinge Spring
19	532 19 47-88	Rope Guide	62	532 17 56-50	Hinge Rod
20	532 43 61-19	Foot Guard, C.E.	63	873 80 04-00	Nut, Hex
21	817 49 04-16	Screw, Tapping 1/4-20 x 1/2	64	532 17 50-66	Mulcher Door
24	- - -	Engine, Briggs & Stratton, Model Number 122T02-1614-H1 (order parts from B&S)	65	532 19 74-80	O-Ring
25	532 15 04-06	Hex Head Thread Rolling Screw 3/8-16 x 1-1/8	66	532 08 83-48	Washer, Flat
26	532 40 91-48	Hex Flange Nut	96	532 19 79-91	Clip, Cable
27	581 00 94-05	Wheel & Tire Assembly, Rear, 8"	98	872 25 05-05	Bolt, Carriage
28	532 40 16-38	Shoulder Bolt 5/16-18 x .33	100	580 27 36-01	Shroud, Engine
30	532 41 21-74	Axle Arm Assembly, Rear	101	581 79 50-01	Screw, Mounting, Engine Shroud
31	532 08 78-77	Selector Knob	102	532 42 81-24	Fastener, Push
32	532 41 08-88	Selector Spring	104	532 14 50-06	Clip, Cable
34	532 40 16-30	Washer, Curved, Cylindrical	- -	532 18 21-91	Decal, Warning (not shown)
36	532 18 41-93	Bolt	- -	115 54 31-20	Operator's Manual, European
			- -	115 54 31-10	Operator's Manual, Scandinavian
			- -	115 54 31-50	Operator's Manual, East Bloc
			- -	115 54 31-40	Operator's Manual, Baltic

NOTE: All component dimensions given in U.S. inches. 1 inch = 25.4 mm. **IMPORTANT:** Use only Original Equipment Manufacturer (O.E.M.) replacement parts. Failure to do so could be hazardous, damage your lawn mower and void your warranty.



McCULLOCH ROTARY LAWN MOWER - MODEL NO. M53-190F (96141027901) PRODUCT NO. 961 41 02-79

KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	585 04 07-02	Drive Control Assembly (Includes Cable)	29	532 19 41-49	V-Belt
7	585 12 31-02	Control Bar, Drive	32	532 44 32-62	Drive Pulley
11	581 00 92-05	Wheel & Tire Assembly, Front (Driven)	33	532 40 91-48	Locknut, Hex
12	812 00 00-58	E-Ring	35	532 43 84-85	Kit, Wheel Adjuster, LH
13	532 40 38-49	Pinion Assembly			(Includes Knob and Bearing)
14	581 84 04-01	Dust Cover	36	532 40 48-33	Gearcase Assembly, Complete
15	532 40 48-45	Pawl, Drive	38	873 80 04-00	Locknut, Hex 1/4-20
16	532 06 77-25	Washer 1/2 x 1-1/2 x .134	40	532 40 65-58	Spring
18	532 08 78-77	Selector Knob	41	532 43 84-86	Kit, Wheel Adjuster, RH
25	532 43 17-11	Belt Keeper			(Includes Knob and Bearing)
26	532 16 34-09	Screw, Hi-Lo Thread #12 x 5/8	54	580 95 34-04	Grassbag
28	532 43 26-63	Drive Cover Assembly (Includes Mounting Screw and Pushnut)	57	532 41 19-50	Frame, Grassbag

NOTE: All component dimensions given in U.S. inches. 1 inch = 25.4 mm. **IMPORTANT:** Use only Original Equipment Manufacturer (O.E.M.) replacement parts. Failure to do so could be hazardous, damage your lawn mower and void your warranty.