

ILLUSTRATED PARTS LIST

BRAND: McCULLOCH


ROTARY LAWN MOWER

MODEL NUMBER: M53-190WFX

MFG. ID. NUMBER: 96141029901

www.emc-motoculture.com


McCULLOCH ROTARY LAWN MOWER - MODEL NUMBER M53-190WFX (MFG. ID. NUMBER 96141029901)



McCULLOCH ROTARY LAWN MOWER - MODEL NUMBER M53-190WFX (MFG. ID. NUMBER 96141029901)

KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	580 63 87-02	Upper Handle	36	532 18 41-93	Bolt
2	532 43 45-14	Lower Handle	37	874 78 05-12	Screw, Sems, Thread Cutting 5/16-18 x 3/4
3	587 68 93-03	Control Bar, Molded	38	532 40 16-29	Spacer
4	532 42 09-39	Engine Zone Control Cable	39	532 15 53-77	Nut, Hex, Flanged 5/16-18
5	532 19 15-74	Handle Bolt	40	532 43 50-59	Belt Keeper
6	532 19 19-38	Handle Knob	44	532 40 92-65	Kit, Lawn Mower Housing
7	532 05 17-93	Hairpin Cutter			(Includes Key Numbers 10, 11, 12 and 45)
9	532 40 69-85	Rear Door	45	532 18 21-66	Danger Decal
10	532 12 84-15	Pop Rivet	46	532 43 22-79	Blade Adapter / Pulley
11	532 41 05-40	Support Bracket, LH	47	580 25 81-01	Blade, 21"
12	532 41 05-42	Support Bracket, RH	48	532 85 10-74	Hardened Washer
13	817 06 04-10	Screw 1/4-20 x 5/8	49	532 85 02-63	Washer, Lock, Helical Spring
14	532 43 45-13	Handle Bracket Assembly, LH	50	532 85 10-84	Screw, Machine, Hex Head,
15	532 43 45-12	Handle Bracket Assembly, RH			Grade 8, 3/8-24 x 1-3/8
16	532 40 54-17	Spring, Rear Door, LH	59	532 17 50-71	Deflector, Discharge
17	532 40 54-18	Spring, Rear Door, RH	60	532 17 57-35	Hinge Bracket
18	581 91 26-01	T-Knob	61	532 19 30-00	Hinge Spring
19	581 90 21-01	Rope Guide	62	532 17 56-50	Hinge Rod
20	532 43 61-19	Foot Guard, C.E.	63	873 80 04-00	Nut, Hex
21	817 49 04-16	Screw, Tapping 1/4-20 x 1/2	64	532 17 50-66	Mulcher Door
24	---	Engine, Briggs & Stratton, Model Number 122T02-1614-H1 (order parts from engine manufacturer)	65	532 19 74-80	O-Ring
25	532 15 04-06	Screw, Hex Head, Threaded, Rolled 3/8-16 x 1-1/8	66	532 08 83-48	Washer, Flat
26	532 40 91-49	Hex Flange Nut	96	532 19 79-91	Clip, Cable
27	581 01 03-05	Wheel & Tire Assembly, Rear	98	586 21 25-01	Bolt, Carriage
28	532 40 16-38	Shoulder Bolt 5/16-18 x .33	100	580 27 36-01	Shroud, Engine
30	532 41 31-41	Axle Arm Assembly, Rear	101	581 79 50-01	Screw, Mounting, Engine Shroud
31	532 08 78-77	Selector Knob	102	532 42 81-24	Fastener, Push
32	532 40 98-89	Selector Spring	--	581 00 67-01	Bag of Parts (Includes Key Numbers 6 and 98)
33	873 80 05-00	Nut, Hex 5/16-18	--	532 18 21-91	Decal, Warning (not shown)
34	532 40 16-30	Washer, Curved, Cylindrical	--	115 72 84-20	Operator's Manual, European
			--	115 72 84-10	Operator's Manual, Scandinavian
			--	115 72 84-50	Operator's Manual, East Bloc
			--	115 72 84-40	Operator's Manual, Baltic

NOTE: All component dimensions given in U.S. inches. 1 inch = 25.4 mm. **IMPORTANT:** Use only Original Equipment Manufacturer (O.E.M.) replacement parts. Failure to do so could be hazardous, damage your lawn mower and void your warranty.



McCULLOCH ROTARY LAWN MOWER - MODEL NUMBER M53-190WFX (MFG. ID. NUMBER 96141029901)

KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	585 04 07-02	Drive Control Assembly, with Cable	29	532 19 41-49	V-Belt
7	585 12 31-02	Control Bar, Drive	32	586 98 97-01	Drive Pulley
11	581 00 92-05	Wheel & Tire Assembly, Front (Driven)	33	532 40 91-48	Locknut
12	812 00 00-58	E-Ring	35	532 43 84-85	Kit, Wheel Adjuster, LH
13	532 40 38-49	Pinion Assembly			(Includes Knob and Bearing)
14	581 84 04-01	Dust Cover	36	532 40 48-33	Gearcase Assembly, Complete
15	532 40 48-45	Pawl, Drive	38	873 80 04-00	Locknut, Hex 1/4-20
16	532 06 77-25	Washer 1/2 x 1-1/2 x .134	40	532 40 65-58	Spring
18	532 08 78-77	Selector Knob	41	532 43 84-86	Kit, Wheel Adjuster, RH
25	532 43 17-11	Belt Keeper			(Includes Knob and Bearing)
26	532 16 34-09	Screw, Hi-Lo Thread #12 x 5/8	54	580 95 34-04	Grassbag
28	532 43 26-63	Drive Cover Assembly	57	532 41 19-50	Frame, Grassbag
		(Includes Mounting Screw and Palnut)			

NOTE: All component dimensions given in U.S. inches. 1 inch = 25.4 mm. **IMPORTANT:** Use only Original Equipment Manufacturer (O.E.M.) replacement parts. Failure to do so could be hazardous, damage your lawn mower and void your warranty.