



PIECES DETACHEES

**Plateau de coupe
Aspirateur collecteur**

SSM48



Yves Béal 21, Av. de l'agriculture - B.P. 16
23100 Brion - 63016 Clermont-Ferrand Cedex 2
Tél: 04 73 91 93 51 Téléphone: 04 73 90 23 31
www.yvesbeal.fr Email: info@yvesbeal.fr
R.C. B 004 973 600 - SIREN 304 973 600

8595-098-1001-0

03-000177-050216


CONTENTS

SSM48

JOINT (UNIVERSAL) SYSTEM (U TYPE)	Fig. 1
JOINT (UNIVERSAL) SYSTEM (EXCEPT U TYPE)	Fig. 2
JOINT (UNIVERSAL) SYSTEM (EXCEPT U TYPE) (OPTION)	Fig. 3
COUNTER SYSTEM (AE TYPE)	Fig. 4
CASE (BEVEL) SYSTEM (EXCEPT U TYPE)	Fig. 5
CASE (BEVEL) SYSTEM (U TYPE)	Fig. 6
PULLEY SYSTEM	Fig. 7
METAL AND BLADE SYSTEM	Fig. 8
DECK (MOWER/48) AND COVER SYSTEM	Fig. 9
GAUGE WHEEL SYSTEM	Fig. 10
LINK (FRONT) SYSTEM (U TYPE)	Fig. 11
LINK (MAIN) SYSTEM (U TYPE)	Fig. 12
LINK (REAR) SYSTEM (U15 TYPE)	Fig. 13
LINK (REAR) SYSTEM (U18 TYPE)	Fig. 14
PTO COVER SYSTEM (ME TYPE) (No.200001~)	Fig. 15
LABEL (EXCEPT U TYPE)	Fig. 16
LABEL (U TYPE)	Fig. 17
LABEL (E TYPE, EXCEPT U) (OPTION)	Fig. 18


SSM48

IMPLEMENT MODEL	APPLICABLE MODEL	LANGUAGE
48E20	SG13, SG15H	GERMAN
48E201	SG17H	"
48E40	SG13, SG15H	ENGLISH
48E401	SG17H	"
48E50	SG13, SG15H	FRENCH
48E501	SG17H	"
48E50T	SG13, SG15H	ITALIAN
48E501T	SG17H	"
48U15AE40	For the customer of TU315F with front P.T.O. type A without front 3P linkage.	ENGLISH
48U15AE50		FRENCH
48U15CE50	For the customer of TU315F with front P.T.O. type C and front 3P linkage.	"
48U15ME50	For the customer of TU315F with mid P.T.O. and front 3P linkage.	"
48U18AE20	For the customer of TU318F with front P.T.O. type A without front 3P linkage.	GERMAN
48U18AE40		ENGLISH
48U18AE50		FRENCH
48U18CE20	For the customer of TU318F with front P.T.O. type C and front 3P linkage.	GERMAN
48U18CE40		ENGLISH
48U18CE50		FRENCH
48U18ME40	For the customer of TU318F with mid P.T.O. and front 3P linkage.	ENGLISH
48U18ME50		FRENCH
48	SG13, SG15	JAPANESE
4801		"

$$\left. \begin{matrix} 2 \\ 13 \end{matrix} \right\} 1$$


KEY	PART CODE	DESCRIPTION	QTY	TYPE OF MODEL		I T C	C O L	G R P	REMARKS
				SSM48					
1	8595 - 101 - 210 - 30	JOINT,UNIVERSAL SET	1	*					
2	8592 - 011 - 201 - 00	YOKE,SPLINE/A	1	*					
3	8592 - 011 - 204 - 00	JOURNAL KIT	1	*					
4	V705 - 140 - 020 - 00	RING,SNAP/20 C	4	*					
5	7918 - 101 - 240 - 00	PIN/14X73	1	*					
6	7918 - 101 - 242 - 00	SPRING/HC12X38	1	*					
7	V411 - 260 - 008 - 00	WASHER,PL/M 8	1	*					
8	V500 - 162 - 501 - 50	PIN,SPLIT/2.5X15	1	*					
9	8595 - 101 - 212 - 00	YOKE,SLEEVE SHAFT	1	*					
10	1427 - 431 - 011 - 00	YOKE,SPLINE B	1	*					
11	8592 - 011 - 204 - 00	JOURNAL KIT	1	*					
12	V705 - 140 - 020 - 00	RING,SNAP/20 C	4	*					
13	8595 - 101 - 211 - 00	YOKE,SLEEVE	1	*					
14	V580 - 140 - 603 - 20	PIN,SPRING/5 X32 W	1	*					
15		WIRE/1.0X150	1	*					
16	8595 - 101 - 250 - 00	JOINT,UNIVERSAL ASSY	1	*					
17	8595 - 101 - 260 - 00	JOINT,UNIVERSAL ASSY	1	*					
18	8592 - 011 - 201 - 00	YOKE,SPLINE/A	1	*					
19	1427 - 431 - 011 - 00	YOKE,SPLINE B	1	*					
20	8592 - 011 - 204 - 00	JOURNAL KIT	2	*					
21	V705 - 140 - 020 - 00	RING,SNAP/20 C	8	*					
22	7918 - 101 - 240 - 00	PIN/14X73	1	*					
23	7918 - 101 - 242 - 00	SPRING/HC12X38	1	*					
24	V411 - 260 - 008 - 00	WASHER,PL/M 8	1	*					
25	V500 - 162 - 501 - 50	PIN,SPLIT/2.5X15	1	*					


FIG. 1 JOINT (UNIVERSAL) SYSTEM (U TYPE)



8595-101A

[illegible]


FIG. 2 JOINT (UNIVERSAL) SYSTEM (EXCEPT U TYPE)



8595-101C

KEY	PART CODE	DESCRIPTION	QTY	TYPE OF MODEL		I T C	C O L	G R P	REMARKS
				SSM48					
1	8595 - 101 - 300 - 00	JOINT,UNIVERSAL SET	1	1- -100179					
2	8592 - 011 - 201 - 00	YOKE,SPLINE/A	1	1- -100179					
3	8592 - 011 - 204 - 00	JOURNAL KIT	1	1- -100179					
4	V705 - 140 - 020 - 00	RING,SNAP/20 C	4	1- -100179					
5	7918 - 101 - 240 - 00	PIN,14X73	1	1- -100179					
6	7918 - 101 - 242 - 00	SPRING/HCI2X38	1	1- -100179					
7	V411 - 260 - 008 - 00	WASHER,PL/M 8	1	1- -100179					
8	V500 - 162 - 501 - 50	PIN,SPLIT/2.5X15	1	1- -100179					
9	8595 - 101 - 311 - 00	YOKE,SLEEVE SHAFT	1	1- -100179					
10	1427 - 431 - 011 - 00	YOKE,SPLINE B	1	1- -100179					
11	8592 - 011 - 204 - 00	JOURNAL KIT	1	1- -100179					
12	V705 - 140 - 020 - 00	RING,SNAP/20 C	4	1- -100179					
13	8595 - 101 - 211 - 00	YOKE,SLEEVE	1	1- -100179					
14	8595 - 101 - 450 - 00	JOINT,UNIVERSAL SET	1	100180-					
15	8595 - 101 - 461 - 00	YOKE,SPLINE	1	100180-					
16	8595 - 101 - 412 - 00	YOKE,AS ASSY	1	100180-					
17	8654 - 101 - 230 - 00	JOURNAL CROSS ASSY	1	100180-					
18	8654 - 101 - 232 - 00	NIPPLE,GREASE	1	100180-					
19	8654 - 101 - 233 - 00	CIRCLIP	4	100180-					
20	8595 - 101 - 471 - 00	SHAFT,YOKE ASSY	1	100180-					
21	8595 - 101 - 422 - 00	YOKE FITING	1	100180-					
22	8654 - 101 - 230 - 00	JOURNAL CROSS ASSY	1	100180-					
23	8654 - 101 - 232 - 00	NIPPLE,GREASE	1	100180-					
24	8654 - 101 - 233 - 00	CIRCLIP	4	100180-					
25	8595 - 101 - 400 - 00	JOINT,UNIVERSAL SET	1	*					

FIG. 2 JOINT (UNIVERSAL) SYSTEM (EXCEPT U TYPE)



8555-1010


[illegible]

$$\begin{array}{l} 2 \\ \{ \\ 11 \end{array} \} 1$$

$$\begin{array}{l} 13 \\ \{ \\ 22 \end{array} \} 12$$

(01 TYPE)

KEY	PART CODE	DESCRIPTION	QTY	TYPE OF MODEL		I T C	C O L	G R P	REMARKS
				SSM48					
1	8595 - 101 - 400 - 00	JOINT,UNIVERSAL SET	1	T					
2	8595 - 101 - 411 - 00	YOKE,SPLINE	1	T					
3	8595 - 101 - 412 - 00	YOKE,AS ASSY	1	T					
4	8654 - 101 - 230 - 00	JOURNAL CROSS ASSY	1	T					
5	8654 - 101 - 232 - 00	NIPPLE,GREASE	1	T					
6	8654 - 101 - 233 - 00	CIRCLIP	4	T					
7	8595 - 101 - 421 - 00	SHAFT,YOKE ASSY	1	T					
8	8595 - 101 - 422 - 00	YOKE,FITING	1	T					
9	8654 - 101 - 230 - 00	JOURNAL CROSS ASSY	1	T					
10	8654 - 101 - 232 - 00	NIPPLE,GREASE	1	T					
11	8654 - 101 - 233 - 00	CIRCLIP	4	T					
12	8595 - 101 - 450 - 00	JOINT,UNIVERSAL SET	1	T					
13	8595 - 101 - 461 - 00	YOKE,SPLINE	1	T					
14	8595 - 101 - 412 - 00	YOKE,AS ASSY	1	T					
15	8654 - 101 - 230 - 00	JOURNAL CROSS ASSY	1	T					
16	8654 - 101 - 232 - 00	NIPPLE,GREASE	1	T					
17	8654 - 101 - 233 - 00	CIRCLIP	4	T					
18	8595 - 101 - 471 - 00	YOKE SHAFT ASSY	1	T					
19	8595 - 101 - 422 - 00	YOKE FITING	1	T					
20	8654 - 101 - 230 - 00	JOURNAL CROSS ASSY	1	T					
21	8654 - 101 - 232 - 00	NIPPLE,GREASE	1	T					
22	8654 - 101 - 233 - 00	CIRCLIP	4	T					

[illegible][illegible][illegible]


This diagram illustrates the exploded view of a mechanical assembly, likely a pump or valve. The components are numbered as follows:

- 1**: Main housing or body.
- 2**: Cover plate or flange.
- 3**: Gasket or seal.
- 4**: Bolt or screw.
- 5**: Mounting bracket or flange.
- 6**: Bolt or screw.
- 7**: Shaft or pin.
- 8**: Washer or spacer.
- 9**: O-ring or seal.
- 10**: Nut or lock nut.
- 11**: Gear or impeller.
- 12**: Pin or shaft component.
- 13**: Seal or O-ring.
- 14**: Washer or spacer.
- 15**: O-ring or seal.
- 16**: Washer or spacer.
- 17**: O-ring or seal.
- 18**: Washer or spacer.

A detail view of part **13A** is shown in a separate box, indicating it is a specific type of seal or O-ring.

KEY	PART CODE	DESCRIPTION	QTY	TYPE OF MODEL		I T C	C O L	G R P	REMARKS
				SSM48					
1	8595 - 201 - 051 - 10	CASE,BEVEL	1	*					
2	8595 - 201 - 052 - 20	PLATE / 108X112	1	*					
3	8595 - 201 - 053 - 20	GASKET,CASE	1	*					
4	V781 - 160 - 000 - 40	PLUG	1	*					
5	V211 - 360 - 802 - 00	BOLT,SP/M8X20	2	*					
6	V211 - 260 - 801 - 60	BOLT,S/M8X16	2	*					
7	8595 - 201 - 054 - 10	SHAFT,INPUT	1	*					
8	V744 - 125 - 470 - 80	SEAL,OIL/TC25478	1	*					
9	V705 - 140 - 047 - 00	RING,SNAP/47 C	3	*					
10	8595 - 201 - 009 - 00	BEARING,BALL	2	*					
11	8595 - 201 - 200 - 10	GEAR,BEVEL/16 - 28SET	1	*					
12	8595 - 201 - 057 - 40	SHAFT	1	*					
13	V600 - 110 - 620 - 30	BEARING,RB/6203	1	1- 5879					
13A	8595 - 201 - 005 - 00	BEARING,RB/6203	1	5880-					
14	8595 - 201 - 009 - 00	BEARING,BALL	1	*					
15	V705 - 140 - 047 - 00	RING,SNAP/47 C	2	*					
16	V744 - 125 - 470 - 80	SEA L,OIL/TC25478	1	*					
17	8595 - 201 - 069 - 10	SHIM/0.5	1	*					
18	8595 - 201 - 071 - 00	SHIM/0.2	1	*					


FIG. 6 CASE (BEVEL) SYSTEM (U TYPE)



8595-2018

[illegible]


FIG. 7 PULLEY SYSTEM



8595-242

[illegible]


FIG. 8 METAL AND BLADE SYSTEM



8595-203A

KEY	PART CODE	DESCRIPTION	QTY	TYPE OF MODEL		I T C	C O L	G R P	REMARKS
				SSM48					
1	8595 - 203 - 002 - 20	BELT,V/B091	1	*					
2	8595 - 301 - 001 - 70	METAL	3	1- 7682					
2A	8595 - 301 - 013 - 00	METAL	3	7683-					
3	V760 - 150 - 000 - 00	NIPPLE, GREASE	3	7683-					
4	V210 - 260 - 601 - 20	BOLT,S/M6X12	3	7683-					
5	8595 - 301 - 500 - 50	PULLEY,V6120 COMP	2	1- 7682					
5A	8595 - 301 - 520 - 00	PULLEY,V6120 OOMP	2	7683-					
6	8595 - 301 - 008 - 00	BEARING,RB	6	1- 5379					
6A	8595 - 301 - 008 - 10	BEARING,RB/6203	6	5830- 7682					
6B	8595 - 301 - 011 - 00	BEARING,BALL	3	7683-					
7	8595 - 301 - 009 - 00	BEARING,BALL	3	7683-					
8	V705 - 140 - 040 - 00	RING,SNAP/40 C	3	*					
9	V705 - 140 - 047 - 00	RING,SNAP/47 C	3	7683-					
10	8595 - 301 - 005 - 30	HUB,BLADE	3	*					
11	8595 - 301 - 004 - 30	HUB/18X22X20	3	1- 7682					
11A	8595 - 301 - 012 - 00	HUB/17X25X18	3	7683-					
12	V304 - 460 - 014 - 00	NUT/M14	3	*					
13	V401 - 160 - 014 - 00	WASHER,SP/M14	3	*					
14	V304 - 260 - 008 - 00	NUT/M8	9	*					
15	V401 - 160 - 008 - 00	WASHER,SP/M 8	9	*					
16	8595 - 301 - 510 - 40	BRACKET,CASE COMP	1	*					
17	8595 - 301 - 610 - 00	BRACKET,CASE COMP	1	*					
18	8595 - 301 - 007 - 10	BOLT/M10X20	4	*					
19	V304 - 260 - 010 - 00	NUT	4	*					
20	V401 - 160 - 010 - 00	WASHER,SP/M10	4	*					

FIG. 8 METAL AND BLADE SYSTEM




8585-301

[illegible]

This diagram illustrates the exploded view of a mechanical assembly, likely a pump or engine component. The main assembly includes a base plate (1), a central housing (7), and a top cover (8). Various fasteners, including screws (5, 9, 10, 11) and bolts (12-11), are shown in their respective positions. A detailed inset in the bottom right corner, labeled '(U TYPE)', shows a specific component (2) and its associated fasteners.

[illegible]


FIG. 10 WHEEL (GAUGE) SYSTEM



8595-501

[illegible]


FIG. 11 LINK (FRONT) SYSTEM (U TYPE)



8595-861

[illegible]


FIG. 12 LINK (MAIN) SYSTEM (U TYPE)



8595-603

KEY	PART CODE	DESCRIPTION	QTY	TYPE OF MODEL		I T C	C O L	G R P	REMARKS
				SSM48					
1	8595 - 603 - 330 - 00	LINK,LIFT COMP	1	*					
2	8595 - 603 - 002 - 00	PIN/15X75	2	*					
3	V303 - 200 - 010 - 00	NUT/M10	2	*					
4	V401 - 160 - 010 - 00	WASHER,SP/M10	2	*					
5	8595 - 603 - 340 - 00	PLATE,HOLDER/LH COMP	1	*					
6	V201 - 261 - 203 - 00	BOLT/M12X30	4	*					
7	V401 - 160 - 012 - 00	WASHER,SP/M12	4	*					
8	8595 - 603 - 350 - 00	PLATE,HOLDER/RH COMP	1	*					
9	V201 - 261 - 203 - 00	BOLT/M12X30	4	*					
10	V401 - 160 - 012 - 00	WASHER,SP/M12	4	*					
11	8595 - 604 - 210 - 10	LINK,LIFT COMP	1	1- -200000 200001-					
11A	8595 - 604 - 210 - 20	LINK,LIFT COMP	1						
12	8595 - 604 - 001 - 00	PIN/15X49	2	*					
13	V411 - 260 - 010 - 00	WASHER/M10	2	*					
14	V401 - 160 - 010 - 00	WASHER,SP/M10	2	*					
15	8595 - 604 - 220 - 00	BRACKET,CABLE/LH	1	*					
16	V201 - 261 - 204 - 50	BOLT/M12X45	4	*					
17	V401 - 160 - 012 - 00	WASHER,SP/M12	4	*					
18	8595 - 604 - 230 - 00	BRACKET,CABLE/RH	1	*					
19	V201 - 261 - 204 - 50	BOLT/M12X45	4	*					
20	V401 - 160 - 012 - 00	WASHER,SP/M12	4	*					
21	8595 - 607 - 210 - 10	CABLE,LIFT COMP	2	*					


FIG. 13 LINK (REAR) SYSTEM (U15 TYPE)



8595-605

[illegible]


FIG. 14 LINK (REAR) SYSTEM (U18 TYPE)



8195-606

KEY	PART CODE	DESCRIPTION	QTY	TYPE OF MODEL		I T C	C O L	G R P	REMARKS
				SSM48					
1	8595 - 606 - 230 - 10	CRANK,LIFT/LH COMP	1	*					
2	8595 - 605 - 001 - 00	HUB/20X30X50	1	*					
3	V411 - 260 - 020 - 00	WASHER/M20	2	*					
4	V500 - 163 - 004 - 00	PIN,SPLIT/3 X40	2	*					
5	8595 - 606 - 250 - 00	PLATE,BOSS/LH COMP	1	*					
6	V211 - 261 - 004 - 50	BOLT,S/M1CX45	2	*					
7	8595 - 606 - 210 - 10	HOLDER,CABLE/LH COMP	1	*					
8	V211 - 261 - 003 - 00	BOLT,S/M1CX30	2	*					
9	8595 - 606 - 240 - 10	CRANK,LIFT/RH COMP	1	*					
10	8595 - 605 - 001 - 00	HUB/20X30X50	1	*					
11	V411 - 260 - 020 - 00	WASHER/M20	2	*					
12	V500 - 163 - 004 - 00	PIN,SPLIT/3 X40	2	*					
13	8595 - 606 - 250 - 00	PLATE,BOSS/LH COMP	1	*					
14	V211 - 261 - 004 - 50	BOLT,S/M10X45	2	*					
15	8595 - 606 - 220 - 10	HOLDER,CABLE/RH COMP	1	*					
16	V211 - 261 - 003 - 00	BOLT,S/M10X30	2	*					
17	8595 - 605 - 240 - 00	JOINT,CABLE COMP	2	*					
18	V411 - 260 - 008 - 00	WASHER,PL/M 8	2	*					
19	V411 - 260 - 016 - 00	WASHER / M16	2	*					
20	V500 - 163 - 004 - 00	PIN,SPLIT/3 X40	2	*					
21	V500 - 163 - 001 - 50	PIN,SPLIT/3 X15	2	*					


FIG. 15 PTO COVER SYSTEM (ME TYPE) (No.200001~)



8599-701

[illegible]


FIG. 16 LABEL (EXCEPT U TYPE)



8595-901

KEY	PART CODE	DESCRIPTION	QTY	TYPE OF MODEL		I T C	C O L	G R P	REMARKS
				SSM48					
1	8595 - 901 - 001 - 20	LABEL MODEL / SSM48	1	1- -100000 100001-					
1A		LABEL MODEL ASSY	1	100001-					
2	8595 - 901 - 002 - 00	LABEL DANGER/D	2	1- -100000 100001-					
2A	2500 - 901 - 027 - 00	LABEL CE	1	100001-					
3	8595 - 901 - 003 - 00	LABEL DISCHARGE/D	1	1- -100000 100001-					
4	8654 - 901 - 001 - 00	LABEL NOISE/LWA/105	1	100001-					
5	8595 - 901 - 004 - 10	LABEL GAUGE WHEEL/D	1	*					
6	8595 - 901 - 006 - 00	LABEL WARNING/BELT	1	200001-					
7	8595 - 901 - 007 - 00	LABEL WARNING/HOT	1	200001-					
8	2500 - 901 - 014 - 30	LABEL DANGER	3	200001-					
9	8595 - 901 - 005 - 00	LABEL CAUTION/DAYCHA	1	200001-					
10	8595 - 902 - 003 - 20	LABEL GAUGE WHEEL/F	1	*					
11	8595 - 902 - 001 - 10	LABEL DANGER/F	2	1- -100000 100001-					
11A	2500 - 901 - 027 - 00	LABEL/CE	1	100001-					
12	8595 - 902 - 002 - 00	LABEL DISCHARGE/F	1	1- -100000 100001-					
13	8654 - 901 - 001 - 00	LABEL NOISE LWA/105	1	100001-					
14	8595 - 901 - 006 - 00	LABEL WARNING/BELT	1	200001-					
15	8595 - 901 - 005 - 00	LABEL CAUTION/DAYCHA	1	200001-					
16	8595 - 903 - 001 - 00	LABEL	2	1- -100000 100001-					
16A	2500 - 901 - 027 - 00	LABEL/CE	1	100001-					
17	8595 - 903 - 002 - 00	LABEL	1	1- -100000 100001-					
18	8654 - 901 - 001 - 00	LABEL NOISE/LWA/105	1	100001-					
19	8595 - 903 - 003 - 00	LABEL WHEEL GAUGE/E	1	*					
20	8595 - 901 - 006 - 00	LABEL WARNING/BELT	1	200001-					
21	8595 - 901 - 005 - 00	LABEL CAUTION/DAYCHA	1	200001-					

FIG. 16 LABEL (EXCEPT U TYPE)



8595-910

[illegible]

[illegible]

[illegible]